

PUBLIC UTILITIES COMMISSION

505 VAN NESS AVENUE
SAN FRANCISCO, CA 94102-3298



March 6, 2014

File: PSG 32149

Elizabeth Stevens
Assistant General Counsel
Side.Cr, LLC
360 Pine Street, Suite 700
San Francisco, California 94104

Dear Ms. Stevens:

This is the 2nd deficiency reminder being sent to you. The following documents and/or clarifications are still needed for issuance of your permit:

- On the application (PL739TNC), on page two, please provide the fictitious business name(s) that Side.Cr LLC will be using (e.g. "Sidecar")
- The application inadvertently left off a space to provide your physical address. Rather than have you fill out a whole new application, please provide your physical address on the Change of Address Form enclosed.
- Regarding the 19 point vehicle inspection, please provide the following items:
 - i. Who is conducting the vehicle inspection?
 - ii. What qualifications do they possess to conduct the inspection?
 - iii. Any copies of contracts with outside vendors that may provide these services.
- The officer listed on the application (PL739TNC) does not match the officer on the Statement of Information (SOI). Please submit an updated copy of the SOI.
- A copy of the zero tolerance policy included in the riders' receipts.
- Decision 13-09-45 on page 26 states the TNCs must make their certificate of insurance public on its website. Please make the certificate available for the general public.

In order to complete the permit process, please provide the requested documents/information to me in care of the address above. If you have any questions, please contact me at Licensing_TNC@cpuc.ca.gov. Please note you will have 60 days from the date of this letter to complete the deficiencies or the application will be denied. A third and final reminder will be sent to you if there are any pending deficiencies left.

Very truly yours,

A handwritten signature in blue ink, appearing to read "Ricky San".

Ricky San
Transportation Analyst
License Section
Safety and Enforcement Division